





SCALE: 1"=20'
DAY USE AREA 2

CONSTRUCTION NOTES

- ① CONSTRUCT TRAIL OR IMPROVE EXISTING TRAIL TO MINIMUM 5' WIDE PER DETAIL C ON SHEET 35.
- ⑩ CONSTRUCT PICNIC AREA.
- ⑫ CONSTRUCT RETAINING WALL PER DETAIL D ON SHEET 35.
- ⑯ CONSTRUCT 6" WATER LINE PER DETAIL K ON SHEET 36 AND CONNECT TO EXISTING WATER LINE.
- ⑲ CONSTRUCT SAFETY CHAIN ACROSS TRAILHEAD ENTRANCE.
- ⑳ INSTALL PARKING SIGN READING "RESTRICTED - GOVERNMENT VEHICLES ONLY."
- ㉑ CONSTRUCT BIOSWALE AND ROCK RIP-RAP ENERGY DISSIPATER.
- ㉒ INSTALL BACKFLOW PREVENTION DEVICE.
- ㉓ CONSTRUCT 8' WIDE STABILIZED SOIL OR DECOMPOSED GRANITE TRAIL PER DETAIL H ON SHEET 36.
- ㉔ CONSTRUCT PERMEABLE OR ASPHALT CONCRETE PAVEMENT AREA. USE OF PERMEABLE MATERIALS TO BE DETERMINED BASED ON FINAL SITE-SPECIFIC GEOTECHNICAL RECOMMENDATIONS. SEE DETAIL H ON SHEET 36.
- ㉕ INSTALL SINGLE-SIDED PARK ENTRANCE SIGN AT LOCATION SHOWN.
- ㉖ EXTEND EXISTING 10" OR 12" WATER MAIN IN ROAD RIGHT-OF-WAY TO PROVIDE WATER SERVICE TO PROJECT.
- ㉗ CONSTRUCT PUMP STATION WITH (2) WELLES TANKS.
- ㉘ CONSTRUCT 6" SIAMSESE FIRE DEPARTMENT CONNECTION AND CHECK VALVE.
- ㉙ CONSTRUCT 6" STANDPIPE (MET).
- ㉚ ALTERNATE TO WATERLINE CONSTRUCTION IN POH R/W, DIRECTIONAL DRILL WATERLINE BELOW CORRAL CANYON CREEK.

LEGEND

- W PROPOSED WATER LINE
- U COMMON UTILITY TRENCH
- FW PROPOSED FIREWATER LINE
- PROPOSED RETAINING WALL
- - - VEGETATION MANAGEMENT BOUNDARY
- CREEK FLOW LINE
- ▲ GRADED SLOPE
- HOSE BIBB, HYDRANT OR STANDPIPE
- ① PARKING AREA NUMBER
- ② CONSTRUCTION NOTE NUMBER
- ③ DEMOLITION NOTE NUMBER



SCALE: 1"=10'
CORRAL ACCESSIBLE TRAIL & DROP-OFF AREA

SOURCE: Penfield & Smith 2010

FIGURE MRA-16

Modified Redesign Alternative - Corral Canyon Park Day Use Area 2 & Accessible Drop-off Concept Plan